

AI AGENT-READINESS REPORT

# theartofshaving.com

Ran 46 of 81 checks

OVERALL

# 75

Grade B

SURFACE SUB-SCORES

CHATGPT / ACP <b>78</b>	GOOGLE AI MODE <b>69</b>	PERPLEXITY <b>82</b>
META <b>76</b>	MICROSOFT COPILOT <b>74</b>	

## Findings - 15 need attention



**FAILED** **HIGH** **GTIN coverage on PDPs**

Populate `gtin` on every branded Product node

**WHAT WE FOUND**

Checked 20 sampled product pages for a GTIN in the Product JSON-LD (0 carry a valid GTIN, 0%).

How we checked: Extract gtin / gtin8 / gtin12 / gtin13 / gtin14 from the first Product JSON-LD node on each PDP; validate digit length.

- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- No valid GTIN on this product page
- ...and 10 more PDPs without GTIN

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**FAILED HIGH Product JSON-LD present on PDPs**

Publish a Product JSON-LD block on every PDP

**WHAT WE FOUND**

Parsed JSON-LD on 20 sampled product pages for a Product node (0 found, 0%).

How we checked: Walk each sampled PDP's parsed `jsonLdBlocks`, flatten `@graph` containers, and count the page as passing if any node has `@type` Product / ProductGroup / IndividualProduct / ProductModel.

- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- No Product JSON-LD on this PDP
- ...and 10 more PDPs without Product JSON-LD

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more**NEEDS WORK HIGH Products are machine-discoverable**

Publish a product feed or a crawlable product sitemap

**WHAT WE FOUND**

Confirmed your products are discoverable by crawling product pages and reading their structured data. Verified 20 product pages of 40 sampled, but no declared feed.

How we checked: Read the product-discovery cascade result from `ctx.discovery`. Score by discovery method (`feed / platform_api / sitemap_typed` -> pass when `verifiedProductCount >= MIN_CONFIDENT_PRODUCTS`; `content_verified` -> partial; none or under-threshold -> fail).

- Products are crawlable, but no declared product feed

Checked: [theartofshaving.com](https://theartofshaving.com)**FAILED HIGH /.well-known/ucp profile is present with a `version` field**

Publish `/.well-known/ucp` with at minimum a `version` field

**WHAT WE FOUND**

Inspected `/.well-known/ucp` for a parseable JSON document with a top-level `version` string.

How we checked: Confirm `ctx.wellKnownUcp` is non-null and carries a non-empty `version` string (the only universally-required UCP profile field).

- `/.well-known/ucp` is not reachable or not parseable as JSON

Checked: [theartofshaving.com/.well-known/ucp](https://theartofshaving.com/.well-known/ucp)**FAILED HIGH UCP profile carries all four required top-level keys**

Add every required top-level key to the UCP profile

**WHAT WE FOUND**

Wanted to inspect UCP root keys, but no profile was found.

How we checked: Read the profile root (or top-level `ucp` wrapper) and verify the presence of `version`, `services`, `capabilities`, and `signing\_keys` keys.

- No `/.well-known/ucp` profile present

Checked: [theartofshaving.com/.well-known/ucp](https://theartofshaving.com/.well-known/ucp)



**FAILED HIGH UCP profile declares a valid shopping service entry**

Declare a shopping service entry with a recognised transport and an HTTPS endpoint

**WHAT WE FOUND**

Wanted to walk the UCP profile's `services[]` for a valid shopping entry, but no profile was found.

How we checked: List every services[] entry whose namespace is `shopping` (or contains `shopping`) and require at least one with `transport` {rest,mcp,a2a,embedded} AND a syntactically valid `https://` endpoint.

- No /.well-known/ucp profile present

Checked: [theartofshaving.com/.well-known/ucp](https://theartofshaving.com/.well-known/ucp)

**FAILED HIGH Every signing\_keys[] entry is a valid JWK**

Make every signing\_keys[] entry a JWK with kty + kty-specific params

**WHAT WE FOUND**

Wanted to validate signing\_keys[], but no UCP profile was found.

How we checked: Walk signing\_keys[] and validate each entry per §4.1 (kty required) + §6 (kty-specific required parameters). `kid` is OPTIONAL per §4.5 and not enforced here.

- No /.well-known/ucp profile present

Checked: [theartofshaving.com/.well-known/ucp](https://theartofshaving.com/.well-known/ucp)

**FAILED MEDIUM HSTS policy carries the includeSubDomains directive**

Add `includeSubDomains` to your Strict-Transport-Security header

**WHAT WE FOUND**

Inspected the homepage Strict-Transport-Security header ("max-age=31536000") and the includeSubDomains directive is absent.

How we checked: Parse the homepage `Strict-Transport-Security` header for the `includeSubDomains` directive (§6.1.2).

- HSTS header is missing the includeSubDomains directive

Checked: [theartofshaving.com](https://theartofshaving.com)

**FAILED MEDIUM Organization/OnlineStore JSON-LD with contactPoint on homepage**

Add an Organization (or OnlineStore) JSON-LD block to your homepage with a contactPoint

**WHAT WE FOUND**

Parsed the homepage JSON-LD looking for an Organization/OnlineStore node with a contactPoint, but no Organization-class node is present.

How we checked: Parse homepage `

**FAILED** **LOW** About page reachable with substantive copy

Publish a substantive About page at a standard URL

**WHAT WE FOUND**

Probed 5 candidate About-page paths and none returned a 2xx body.

How we checked: URL probe of platform-specific about-page paths via politeFetch; the first 2xx response whose HTML-stripped body length is  $\geq 200$  chars counts as a pass.

- No About page reachable at any standard URL

Checked: [theartofshaving.com/about-us](https://theartofshaving.com/about-us), [theartofshaving.com/about](https://theartofshaving.com/about), [theartofshaving.com/pages/about](https://theartofshaving.com/pages/about)

**FAILED** **LOW** HSTS policy carries the preload directive

Add `preload` to your Strict-Transport-Security header and submit to hstspreload.org

**WHAT WE FOUND**

Inspected the homepage Strict-Transport-Security header ("max-age=31536000") and the preload directive is absent.

How we checked: Parse the homepage `Strict-Transport-Security` header for the `preload` directive (hstspreload.org vendor extension to).

- HSTS header is missing the preload directive

Checked: [theartofshaving.com](https://theartofshaving.com)

**FAILED** **LOW** Product images meet Google's 50,000-pixel area threshold

Upload higher-resolution product images (area  $\geq 50,000$  pixels)

**WHAT WE FOUND**

Inspected `<img width=... height=...>` attributes on 20 sampled product pages (0 have at least one image with area  $\geq 50,000$  px; dimensions absent from HTML are not HEAD-probed and count as indeterminate).

How we checked: For every sampled PDP, parse `<img>` tags and read explicit `width` and `height` attributes; a PDP passes when at least one image has width x height  $\geq 50,000$ . PDPs without any explicit-dimension `<img>` are marked indeterminate (this check does not HEAD image URLs).

- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- No `<img>` on this PDP carries explicit width+height attributes
- ...and 10 more

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**FAILED** **INFO** Apple Pay markers detected (informational)

Enable Apple Pay through your payment processor (informational only)

**WHAT WE FOUND**

Scanned the homepage and 20 sampled PDPs for Apple Pay markers; none matched.

How we checked: Substring match on known Apple Pay SDK/markup signatures (ApplePaySession, apple-pay-button, /apple-developer-merchantid-domain-association) across the homepage and every sampled PDP HTML.

- No Apple Pay markers detected on the homepage or PDPs

Checked: [theartofshaving.com](https://theartofshaving.com), [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz) +13 more

**FAILED** **INFO** Google Pay markers detected (informational)

Enable Google Pay through your payment processor (informational only)

**WHAT WE FOUND**

Scanned the homepage and 20 sampled PDPs for Google Pay markers; none matched.

How we checked: Substring match on known Google Pay SDK/markup signatures (pay.google.com/gp/p/js/pay.js, google.payments.api, &lt;google-pay-button) across the homepage and every sampled PDP HTML.

- No Google Pay markers detected on the homepage or PDPs

Checked: theartofshaving.com, theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz +13 more

**PASSING** **CRITICAL** Googlebot allowed on product paths

Allow Googlebot on product paths

**WHAT WE FOUND**

Checked robots.txt for Googlebot at the representative product path `/products/creams-soaps/peppermint-beard-conditioner`. The active group resolves to Allow.

How we checked: group match on `User-agent: Googlebot` rules at the representative product path `/products/creams-soaps/peppermint-beard-conditioner` (via the parsed robots.txt isAllowed predicate).

Checked: theartofshaving.com/robots.txt, /products/creams-soaps/peppermint-beard-conditioner

**PASSING** **CRITICAL** HTTPS enforced sitewide + HSTS (>= 6-month max-age)

Enforce HTTPS sitewide and ship a Strict-Transport-Security header with max-age &gt;= 6 months

**WHAT WE FOUND**

Confirmed the homepage is HTTPS (status 200), probed http://theartofshaving.com/ for redirect behaviour, and parsed the Strict-Transport-Security header (value: "max-age=31536000").

How we checked: URL scheme + homepage status check, an http://host/ redirect probe, and a Strict-Transport-Security max-age parse (&gt;= 180-day threshold).

Checked: theartofshaving.com

**NOT APPLICABLE** **CRITICAL** Offer price + priceCurrency valid

Set price as a number and priceCurrency as an ISO 4217 code

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for Offer price + priceCurrency.

How we checked: Parse Offer `price` (or AggregateOffer `lowPrice`) as a parseable numeric price &gt;= 0; require `priceCurrency` to match /^[A-Z]{3}\$/i.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**PASSING** **CRITICAL** OAI-SearchBot allowed

Allow OAI-SearchBot in robots.txt

**WHAT WE FOUND**

Checked robots.txt rules for OAI-SearchBot (OpenAI's ChatGPT search/discovery crawler) at path /. The active group resolves to Allow.

How we checked: group match on `User-agent: OAI-SearchBot` rules at path `/` (via the parsed robots.txt isAllowed predicate).

Checked: theartofshaving.com/robots.txt

**PASSING** **CRITICAL** No global wildcard root disallow

Remove the wildcard `Disallow: /` from robots.txt

**WHAT WE FOUND**

Scanned the robots.txt wildcard `User-agent: \*` group for a root Disallow (wildcard group present; root Disallow absent).

How we checked: Line-by-line scan of robots.txt; track membership of the `User-agent: \*` group (stacked UA lines combine into one group per section 2.2.1) and flag the file when a root `Disallow: /` appears in that group with no offsetting `Allow: /`.

Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)

**PASSING** **HIGH** Bingbot allowed

Allow Bingbot in robots.txt

**WHAT WE FOUND**

Checked robots.txt rules for Bingbot (Microsoft's web crawler — also the source for Copilot Shopping's index) at path /. The active group resolves to Allow.

How we checked: group match on `User-agent: Bingbot` rules at path `/` (via the parsed robots.txt isAllowed predicate).

Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)

**PASSING** **HIGH** Contact page exposes email or phone

Add a `mailto:` email link or `tel:` phone link to your contact page

**WHAT WE FOUND**

Reached the contact page and found a contact method: tel link (tel:18004932212), phone (2026-04-15).

How we checked: URL probe of contact paths; the first 2xx body is scanned for `mailto:` / `tel:` hrefs, plain emails (placeholder hosts excluded), and phone-shaped numbers.

Checked: [theartofshaving.com/contact-us](https://theartofshaving.com/contact-us)

**NOT APPLICABLE** **HIGH** MerchantReturnPolicy finite-window has positive merchantReturnDays

Add a positive `merchantReturnDays` to finite-window return policies

**WHAT WE FOUND**

No MerchantReturnPolicy node used the MerchantReturnFiniteReturnWindow category, so the `merchantReturnDays` check has nothing to evaluate.

How we checked: For each MerchantReturnPolicy node whose returnPolicyCategory normalizes to MerchantReturnFiniteReturnWindow, require `merchantReturnDays` to be a positive number (or a numeric string > 0).

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** MerchantReturnPolicy satisfies Option A (country+category) or B (returnLink)

Make every MerchantReturnPolicy node satisfy Option A or Option B

**WHAT WE FOUND**

No PDP carried a `hasMerchantReturnPolicy` node, so Option A/B shape cannot be evaluated.

How we checked: For each PDP, walk every `hasMerchantReturnPolicy` node (Product or Offer level) and require either (applicableCountry + returnPolicyCategory) OR a syntactically-valid `merchantReturnLink` URL.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** MerchantReturnPolicy node present on Product or Offer

Emit `hasMerchantReturnPolicy` on Product or Offer JSON-LD

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `hasMerchantReturnPolicy`.

How we checked: On each PDP, locate the Product JSON-LD node and check for a `hasMerchantReturnPolicy` object/array at Product level OR Offer level. Pass band >= 85% coverage, partial >= 50%.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** Offer `availability` is a Schema.org URL

Use a canonical Schema.org availability IRI on every Offer

**WHAT WE FOUND**

No PDP carried a resolvable Offer, so there is nothing to inspect for `availability`.

How we checked: On each Offer, accept `availability` only if it matches one of the canonical Schema.org ItemAvailability IRIs (http or https, trailing slash optional).

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** Offer JSON-LD carries shippingDetails (OfferShippingDetails)

Emit shippingDetails (OfferShippingDetails) on Offer JSON-LD

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `shippingDetails`.

How we checked: On each PDP, locate the Product JSON-LD node and check for `shippingDetails` (single object or array) at Product or Offer level. Pass band >= 85% coverage.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**PASSING** **HIGH** Sampled PDPs are not gated behind a login wall (401 / 403)

Open PDPs to anonymous fetches

**WHAT WE FOUND**

Sampled 20 PDP(s); none return 401 / 403.

How we checked: For each sampled PDP, evaluate the captured HTTP status code (preferred) or fall back to body-presence; 401 / 403 fails.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**PASSING** **HIGH** No sampled PDP returns a noindex directive

Remove the noindex directive from every PDP

**WHAT WE FOUND**

Sampled 20 PDP(s); every one is indexable (no noindex in HTML or response headers).

How we checked: For each sampled PDP, inspect the HTML for ``<meta name="robots" content="...noindex...">`` and the response headers for ```X-Robots-Tag:...noindex...``.Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more**PASSING** **HIGH** Each PDP carries at most one Product JSON-LD node

Emit a single Product JSON-LD node per PDP

**WHAT WE FOUND**

Sampled 20 PDP(s); every one carries at most one Product JSON-LD node.

How we checked: For each sampled PDP, count JSON-LD nodes whose `@type` is `Product` or whose `@type` array contains `Product`. Each PDP must expose at most one.Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more**PASSING** **HIGH** PerplexityBot allowed

Allow PerplexityBot in robots.txt

**WHAT WE FOUND**Checked robots.txt rules for PerplexityBot (Perplexity's shopping index crawler) at path `/`. The active group resolves to Allow.How we checked: group match on ``User-agent: PerplexityBot`` rules at path ``/`` (via the parsed robots.txt `isAllowed` predicate).Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)**PASSING** **HIGH** Privacy policy page reachable

Publish a privacy policy page and link it from your site nav/footer

**WHAT WE FOUND**Found a privacy policy page at <https://privacypolicy.pg.com/en/#statePrivacyNotice> (135785 chars of stripped body text).How we checked: Discover candidate URLs by scoring homepage nav/footer anchors for `privacy/gdpr/cookie` keywords, then append platform-conventional paths; probe each with `politeFetch` and pass on the first 2xx with `>=200` stripped-body chars.Checked: [privacypolicy.pg.com/en](https://privacypolicy.pg.com/en)**PASSING** **HIGH** Brand attribution on PDPs

Surface brand attribution on every PDP

**WHAT WE FOUND**

Checked 20 sampled product pages for brand attribution via Product JSON-LD or visible HTML signals (20 attributed, 100%).

How we checked: On each PDP, accept brand attribution from either (a) `extractBrand` on the first Product JSON-LD node OR (b) an HTML brand signal (OG `product:brand`, `brand` meta, `og:brand`, Microdata itemprop="brand"`).Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** Product `image` populated

Add a resolvable image URL to every Product node

**WHAT WE FOUND**

No PDP in the sample carried a Product JSON-LD node, so there is nothing to inspect for `image`.

How we checked: Resolve `image` on each Product node into a list of URL strings (string, array, or ImageObject.url/contentUrl); require at least one non-empty URL.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** Product `name` populated

Populate `name` on every Product JSON-LD node

**WHAT WE FOUND**

No PDP in the sample carried a Product JSON-LD node, so there is nothing to inspect for `name`.

How we checked: On each PDP with a Product JSON-LD node, require `name` to be a string of length > 0 after trimming.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **HIGH** Product JSON-LD includes `offers`

Add an `offers` object to every Product node

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `offers`.

How we checked: On each Product node, require a resolvable Offer (or first Offer inside an AggregateOffer) via `findOffer`.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**PASSING** **HIGH** Product pages discoverable without JavaScript

Make product pages discoverable without JavaScript

**WHAT WE FOUND**

Counted product pages discovered by the non-JavaScript crawl (20 found).

How we checked: Count the product pages a non-JavaScript crawl could discover via the sitemap or initial HTML (no JS execution). The fetcher already attempted discovery; we read `ctx.pdpSample`.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +2 more

**PASSING** **HIGH** **robots.txt present at root**

Publish a non-empty robots.txt at the site root

**WHAT WE FOUND**

Reached a non-empty /robots.txt at the site root (651 bytes, 1 declared Sitemap line).

How we checked: Check whether the fetcher reached a non-empty /robots.txt at the site root (§2.2.3 access method).

Checked: `theartofshaving.com/robots.txt`

**PASSING** **HIGH** **Terms of service page reachable**

Publish a terms of service page and link it from your site nav/footer

**WHAT WE FOUND**

Found a terms-of-service page at <https://termsandconditions.pg.com/en-us/> (28927 chars of stripped body text).

How we checked: Discover candidate URLs by scoring homepage nav/footer anchors for terms/tos/legal/conditions keywords, then append platform-conventional paths; probe each with politeFetch and pass on the first 2xx with >=200 stripped-body chars.

Checked: `termsandconditions.pg.com/en-us`

**NOT APPLICABLE** **HIGH** **UCP profile Cache-Control is shared-cacheable with max-age >= 60s**

Serve `/.well-known/ucp`` with ``Cache-Control: public, max-age=...`

**WHAT WE FOUND**

No UCP profile present; Cache-Control policy is not evaluable.

How we checked: Parse the ``Cache-Control`` header on the `/.well-known/ucp`` response; require ``public``, ``max-age >= 60``, and no ``no-store`/`no-cache`/`private``.

Checked: `theartofshaving.com/.well-known/ucp`

**NOT APPLICABLE** **HIGH** **/.well-known/ucp response Content-Type is application/json**

Serve `/.well-known/ucp`` with ``Content-Type: application/json``

**WHAT WE FOUND**

No UCP profile present; Content-Type is not evaluable.

How we checked: Check that the ``Content-Type`` header on `/.well-known/ucp`` starts with ``application/json`` (optionally with a charset parameter).

Checked: `theartofshaving.com/.well-known/ucp`

**NOT APPLICABLE** **HIGH** **/.well-known/ucp is publicly fetchable with no auth**

Allow unauthenticated access to `/.well-known/ucp``

**WHAT WE FOUND**

No UCP profile reachable; public-fetch evaluation deferred to `ucp-profile-present``.

How we checked: Confirm an unauthenticated GET to `/.well-known/ucp`` returns a 2xx status.

Checked: `theartofshaving.com/.well-known/ucp`

**NOT APPLICABLE** **HIGH** **/.well-known/ucp returns 200 directly with no redirects**

Serve `/.well-known/ucp`` directly with a 200 response

**WHAT WE FOUND**

No UCP profile present; redirect behaviour is not evaluable.

How we checked: Inspect the final HTTP status of GET `/.well-known/ucp`` and whether any 3xx redirect was followed to reach it.

Checked: `theartofshaving.com/.well-known/ucp`

**NOT APPLICABLE** **HIGH** Each service satisfies the transport-conditional field requirements

Populate the conditional fields required by each service's transport

**WHAT WE FOUND**

No UCP profile present.

How we checked: For each services[] entry with a recognised transport, require the transport-conditional fields: rest/mcp -> endpoint+schema; a2a -> endpoint; embedded -> schema.

Checked: theartofshaving.com/.well-known/ucp

**NOT APPLICABLE** **HIGH** Each service `transport` is rest, mcp, a2a, or embedded

Set transport to one of rest, mcp, a2a, or embedded

**WHAT WE FOUND**

No UCP profile present.

How we checked: For each services[] entry, require `transport` to be one of: rest, mcp, a2a, embedded.

Checked: theartofshaving.com/.well-known/ucp

**NOT APPLICABLE** **MEDIUM** MerchantReturnPolicy merchantReturnLink URL is reachable

Repair every merchantReturnLink URL

**WHAT WE FOUND**

No MerchantReturnPolicy node carried a `merchantReturnLink` URL, so reachability has nothing to evaluate.

How we checked: Collect every unique `merchantReturnLink` URL across all MerchantReturnPolicy nodes; probe each once via politeFetch (failSoft). 2xx counts as reachable.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **MEDIUM** MerchantReturnPolicy applicableCountry uses ISO 3166-1 alpha-2 codes

Use ISO 3166-1 alpha-2 country codes in applicableCountry

**WHAT WE FOUND**

No MerchantReturnPolicy node carried `applicableCountry`, so the ISO-code check has nothing to evaluate.

How we checked: On each MerchantReturnPolicy node where `applicableCountry` is set, extract every candidate string and require every one to match /^[A-Z]{2}\$/i.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **MEDIUM** MerchantReturnPolicy returnPolicyCategory uses valid Schema.org enum

Use a valid Schema.org returnPolicyCategory enum value

**WHAT WE FOUND**

No MerchantReturnPolicy node carried `returnPolicyCategory`, so the enum check has nothing to evaluate.

How we checked: On each MerchantReturnPolicy node where `returnPolicyCategory` is set, accept the bare enum name or the schema.org URL form; reject any other string.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **MEDIUM** OfferShippingDetails shippingDestination is a valid DefinedRegion

Emit shippingDestination as a DefinedRegion with ISO addressCountry

**WHAT WE FOUND**

No OfferShippingDetails node carried `shippingDestination`, so the DefinedRegion check has nothing to evaluate.

How we checked: On each OfferShippingDetails node where `shippingDestination` is set, require it to be a DefinedRegion (or array) and every entry to carry `addressCountry` matching  `/^[A-Z]{2}$/i`.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **MEDIUM** OfferShippingDetails shippingRate is a valid MonetaryAmount

Emit shippingRate as a valid MonetaryAmount

**WHAT WE FOUND**

No OfferShippingDetails node carried `shippingRate`, so the MonetaryAmount check has nothing to evaluate.

How we checked: On each OfferShippingDetails node where `shippingRate` is set, require an object with numeric value/maxValue (typed or numeric string) and a 3-letter ISO 4217 currency.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **MEDIUM** Product `brand` is a string or Brand/Organization object

Emit `brand` as either a string or a typed Brand object on every Product

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `brand`.

How we checked: On each Product node, accept `brand` if it's a non-empty trimmed string OR an object with a non-empty `name`. Objects with `@type` Brand/Organization but no `name` are rejected.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **MEDIUM** Product `description` present

Populate `description` on every Product JSON-LD node

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `description`.

How we checked: Read `description` on each Product node; strip HTML tags and collapse whitespace; require length > 0.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more



**NOT APPLICABLE** **MEDIUM** Product `sku` populated

Populate `sku` on every Product JSON-LD node

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `sku`.

How we checked: On each PDP with a Product node, accept `sku` if it is a non-empty trimmed string or a number.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **MEDIUM** Product title not a placeholder

Replace placeholder and slug-shape titles with real product names

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for placeholder titles.

How we checked: Read `name` on the first Product JSON-LD node. Fail if empty, matches a known placeholder list (Default Title / Untitled / Product N / sample / test / draft / placeholder), or matches slug shape (lower-case alnum + at least one hyphen).

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**PASSING** **MEDIUM** Returns/refund policy page reachable

Publish a returns policy page and link it from your site nav/footer

**WHAT WE FOUND**

Found a returns/refund policy page at <https://theartofshaving.com/returns-and-exchanges/> (8265 chars of stripped body text).

How we checked: Discover candidate URLs by scoring homepage nav/footer anchors for return/refund/exchange keywords, then append platform-conventional paths; probe each with politeFetch and pass on the first 2xx with >=200 stripped-body chars.

Checked: [theartofshaving.com/returns-and-exchanges](https://theartofshaving.com/returns-and-exchanges)

**PASSING** **MEDIUM** Third-party review-platform integration detected

Install a third-party review platform so agents see syndicated reviews on your storefront

**WHAT WE FOUND**

Found a third-party review-platform integration (bazaarvoice) on 21 of 21 scanned sources.

How we checked: Substring scan of homepage and sampled PDP HTML for known review-platform asset fingerprints (judge.me, yotpo, stamped.io, reviews.io, okendo, loox, trustpilot, bazaarvoice).

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz) +13 more

**PASSING** **MEDIUM** Shipping policy page reachable

Publish a shipping policy page and link it from your site nav/footer

**WHAT WE FOUND**

Found a shipping policy page at <https://theartofshaving.com/shipping/> (6994 chars of stripped body text).

How we checked: Discover candidate URLs by scoring homepage nav/footer anchors for shipping/delivery/dispatch keywords, then append platform-conventional paths; probe each with politeFetch and pass on the first 2xx with >=200 stripped-body chars.

Checked: [theartofshaving.com/shipping](https://theartofshaving.com/shipping)

**PASSING** **MEDIUM** **Sitemap declared in robots.txt**

Add a `Sitemap:` line to robots.txt

**WHAT WE FOUND**

Read robots.txt and counted 1 declared Sitemap line.

How we checked: Read parsed Sitemap: directives from robots.txt (sitemaps.org / implementation note).

Checked: [theartofshaving.com/robots.txt](http://theartofshaving.com/robots.txt), [theartofshaving.com/sitemap.xml](http://theartofshaving.com/sitemap.xml)

**PASSING** **MEDIUM** **Sitemap <loc> entries are entity-escaped**

Entity-escape `&`, `<`, `>` in every <loc>

**WHAT WE FOUND**

Sampled 196 <loc> entries across 2 sitemap resource(s); every one is properly entity-escaped.

How we checked: Sample the first 100 <loc> entries per sitemap document and check for raw &, <, or > (sitemaps.org entity escaping rules).

Checked: [theartofshaving.com/sitemap.xml](http://theartofshaving.com/sitemap.xml)

**PASSING** **MEDIUM** **Sitemap resolvable and includes at least one product URL**

Publish a sitemap containing product URLs

**WHAT WE FOUND**

Resolved an XML sitemap with 98 <loc> entries; 92 look like product URLs (94%).

How we checked: Parse `<loc>` entries from the resolved sitemap (or sitemap index) and classify each against product-URL patterns (`/products/...`, `/product/...`, `/p/<id>`, etc.).

Checked: [theartofshaving.com/sitemap.xml](http://theartofshaving.com/sitemap.xml)

**PASSING** **MEDIUM** **Sitemap root declares the sitemaps.org 0.9 namespace**

Add the sitemaps.org 0.9 xmlns to the root element

**WHAT WE FOUND**

Inspected 2 sitemap resource(s); every one declares the sitemaps.org 0.9 namespace.

How we checked: Substring-match `xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"` against the raw XML of every resolved sitemap document.

Checked: [theartofshaving.com/sitemap.xml](http://theartofshaving.com/sitemap.xml)

**NOT APPLICABLE** **MEDIUM** **Each capability has version + spec + schema**

Populate version, spec, and schema on every capabilities[] entry

**WHAT WE FOUND**

No UCP profile present.

How we checked: For each capabilities[] entry, require non-empty string values for `version`, `spec`, and `schema`.

Checked: [theartofshaving.com/.well-known/ucp](http://theartofshaving.com/.well-known/ucp)

**NOT APPLICABLE** **MEDIUM** **Each service's `spec` URL origin matches its namespace authority**

Point each service `spec` URL at the canonical UCP authority

**WHAT WE FOUND**

No UCP profile present.

How we checked: For each service with a `spec` URL, require the URL origin to be a canonical UCP authority OR the host/path to include the namespace token.

Checked: [theartofshaving.com/.well-known/ucp](http://theartofshaving.com/.well-known/ucp)

**NOT APPLICABLE** **MEDIUM** Every service `version` matches YYYY-MM-DD

Use ISO-date `version` strings on every service

**WHAT WE FOUND**

No UCP profile present; service version formats are not evaluable.

How we checked: For each services[] entry, require `version` to be a string matching `^\d{4}-\d{2}-\d{2}$`.

Checked: [theartofshaving.com/.well-known/ucp](https://theartofshaving.com/.well-known/ucp)

**NOT APPLICABLE** **LOW** BreadcrumbList present on PDPs

Add a BreadcrumbList JSON-LD block to every PDP

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is no eligible PDP to inspect for BreadcrumbList.

How we checked: Search every JSON-LD block on each PDP for `@type: BreadcrumbList` with a non-empty itemListElement.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**PASSING** **LOW** ChatGPT-User allowed

Allow ChatGPT-User in robots.txt (advisory)

**WHAT WE FOUND**

Checked robots.txt rules for ChatGPT-User (OpenAI's user-inflated live fetcher (advisory)) at path /. The active group resolves to Allow.

How we checked: group match on `User-agent: ChatGPT-User` rules at path `/` (via the parsed robots.txt isAllowed predicate).

Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)

**PASSING** **LOW** Alt text on at least 80% of PDP images

Add descriptive alt text to product images (WCAG 2.x SC 1.1.1)

**WHAT WE FOUND**

Parsed `<img>` alt attributes across 20 sampled product pages (20 have alt text on at least 80% of images).

How we checked: Per PDP, count `<img>` tags via regex; a tag `has alt text` when its `alt` attribute is present AND non-empty after trim. A PDP passes when it carries no `<img>` at all OR  $\geq 80\%$  of its `<img>` tags have non-empty alt.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**NOT APPLICABLE** **LOW** MerchantReturnPolicy enrichment enums use valid Schema.org values

Use Schema.org enum values for returnFees / returnMethod / refundType

**WHAT WE FOUND**

No MerchantReturnPolicy node carried returnFees, returnMethod, or refundType, so the enum check has nothing to evaluate.

How we checked: On each MerchantReturnPolicy node, inspect `returnFees`/`returnMethod`/`refundType` if set; require the bare name or schema.org URL form of a value in the corresponding Schema.org enum.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more



**NOT APPLICABLE** **LOW** Offer `itemCondition` is canonical when present

Either omit `itemCondition` (defaults to NewCondition) or set it to a canonical IRI

**WHAT WE FOUND**

No PDP carried a resolvable Offer, so there is nothing to inspect for `itemCondition`.

How we checked: On each Offer: if `itemCondition` is omitted, count as pass (Google defaults to NewCondition). If present, accept only when it matches a canonical Schema.org ItemCondition IRI.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**NOT APPLICABLE** **LOW** OfferShippingDetails deliveryTime is a valid ShippingDeliveryTime

Emit a ShippingDeliveryTime with handlingTime and/or transitTime populated

**WHAT WE FOUND**

No OfferShippingDetails node carried `deliveryTime`, so the ShippingDeliveryTime check has nothing to evaluate.

How we checked: On each OfferShippingDetails node where `deliveryTime` is set, require an object with at least one of handlingTime / transitTime populated as a QuantitativeValue.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more

**PASSING** **LOW** Perplexity-User allowed

Allow Perplexity-User in robots.txt (advisory)

**WHAT WE FOUND**

Checked robots.txt rules for Perplexity-User (Perplexity's live user-initiated fetcher (advisory)) at path /. The active group resolves to Allow.

How we checked: group match on `User-agent: Perplexity-User` rules at path `/` (via the parsed robots.txt isAllowed predicate).

Checked: theartofshaving.com/robots.txt

**NOT APPLICABLE** **LOW** Product `aggregateRating` present

Add an AggregateRating to Product nodes when you have real reviews

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for `aggregateRating`.

How we checked: On each Product node, parse `aggregateRating` (or the first element if it's an array) and require ratingValue in [0,5] AND reviewCount or ratingCount >= 1.

Checked: theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner, theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer, theartofshaving.com/products/creams-soaps/peppermint-beard-wash, theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz, theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer, theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz, theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz +12 more



**NOT APPLICABLE** **LOW** Product title quality (present, not all-caps)

Use sentence-case product titles

**WHAT WE FOUND**

No PDP carried a Product JSON-LD node, so there is nothing to inspect for title quality.

How we checked: Read `name` on the first Product JSON-LD node. Fail if missing/empty after trimming OR if the string contains letters and they're all upper-case.

Checked: [theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner](https://theartofshaving.com/products/creams-soaps/peppermint-beard-conditioner), [theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/unscented-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/unscented-after-shave-balm-moisturizer), [theartofshaving.com/products/creams-soaps/peppermint-beard-wash](https://theartofshaving.com/products/creams-soaps/peppermint-beard-wash), [theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz](https://theartofshaving.com/products/creams-soaps/sandalwood-shaving-cream-5-oz), [theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer](https://theartofshaving.com/products/oils-balms/sandalwood-after-shave-balm-moisturizer), [theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz](https://theartofshaving.com/products/all/sandalwood-after-shave-balm-tube-1-oz), [theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz](https://theartofshaving.com/products/oils-balms/sandalwood-pre-shave-oil-2-oz) +12 more

**PASSING** **LOW** /robots.txt is served as text/plain

Send Content-Type: text/plain on /robots.txt

**WHAT WE FOUND**

Inspected /robots.txt Content-Type ("text/plain"); recognised as text/plain.

How we checked: Inspect the /robots.txt response `Content-Type` header for a `text/plain` media type per §2.3.

Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)

**PASSING** **LOW** /robots.txt is under 500 KiB (RFC 9309 §2.5 parser cap)

Trim /robots.txt below 500 KiB

**WHAT WE FOUND**

Measured /robots.txt at 652 bytes; within the 512,000-byte (500 KiB) cap.

How we checked: Measure the raw byte size of the /robots.txt body and compare against the §2.5 parser cap ( $\geq 500$  KiB).

Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)

**PASSING** **LOW** /robots.txt is served as UTF-8

Serve /robots.txt as UTF-8

**WHAT WE FOUND**

Inspected the /robots.txt byte stream (652 bytes); decodes as UTF-8.

How we checked: Inspect the raw byte stream of /robots.txt for UTF-8 decodability per §2.3.

Checked: [theartofshaving.com/robots.txt](https://theartofshaving.com/robots.txt)

**PASSING** **LOW** Every sitemap <loc> URL is under 2048 characters

Keep every <loc> URL under 2,048 characters

**WHAT WE FOUND**

Inspected 196 <loc> entries across 2 sitemap resource(s); every one is under 2,048 characters.

How we checked: Iterate every parsed <loc> URL across all resolved sitemap resources and check length against the 2,048-character cap.

Checked: [theartofshaving.com/sitemap.xml](https://theartofshaving.com/sitemap.xml)

**PASSING** **LOW** Sitemap respects 50 MiB / 50,000-URL caps per document

Split over-cap sitemaps into a sitemap index

**WHAT WE FOUND**

Checked 2 sitemap resource(s) against the 50 MiB / 50,000-URL caps; every one is within the limits.

How we checked: Check raw byte size ( $\leq 52,428,800$  B) and entry count ( $\leq 50,000$ ) for every resolved sitemap resource.

Checked: [theartofshaving.com/sitemap.xml](https://theartofshaving.com/sitemap.xml)

**PASSING** **LOW** **Sitemap is served as UTF-8**

Serve every sitemap document as UTF-8

**WHAT WE FOUND**

Inspected 2 sitemap resource(s); every one decodes as UTF-8.

How we checked: Inspect every resolved sitemap document's raw byte stream for UTF-8 decodability (sitemaps.org encoding requirement).

Checked: [theartofshaving.com/sitemap.xml](http://theartofshaving.com/sitemap.xml)

**NOT APPLICABLE** **LOW** **UCP MCP-transport entries have valid HTTPS endpoints**

Make every declared MCP transport endpoint an absolute HTTPS URL

**WHAT WE FOUND**

No UCP profile found; MCP transport validity is not evaluable.

How we checked: Filter services[] to entries where transport=mcp and validate that `endpoint` is an absolute https:// URL.

Checked: [theartofshaving.com/.well-known/ucp](http://theartofshaving.com/.well-known/ucp)

**NOT APPLICABLE** **INFO** **llms.txt present (informational)**

Publish an /llms.txt manifest (optional)

**WHAT WE FOUND**

Looked for /llms.txt at the site root; the fetcher returned no file.

How we checked: Check whether the fetcher reached an /llms.txt at the site root. Informational only — no failure path per llmstxt.org being a voluntary community convention.

Checked: [theartofshaving.com/llms.txt](http://theartofshaving.com/llms.txt)



FREE PREVIEW